

Tessera 3100LED Wall Mount Light

INTERIOR/EXTERIOR

MODEL	LED MODULE		COLOR TEMPERATURE		VOLT	DISTRIBUTION		OPTIONS		COL	COLOR	
	10L	10 watts¹ 887 lumens² 7 watts¹ 633 lumens²	AM	amber LED turtle friendly 585-595nm	120*	SP	15° spot	SC	surface wiring conduit feed canopy	WT	white texture	
					208 FL	FL	30° flood			вт	black texture	
	7L				240			SC1	surface wiring canopy	SM	silver metallic	
					277			NAT	natatorium	AN	aluminum natural	
								14/5/ III	construction	BZ	bronze	
								WP(_") wall plate (specify 6, 8 or 10")	GM	gunmetal	
								CV	cut off visor	WS	white satin	
										BM	black matte	
										RAL	specify no.	

SAMPLE CATALOG NUMBER: 3100 - 10L - AM - 120 - SP - WT

Using this catalog number would order 1 model 3100 wall mount luminaire using a spot optic and a 10 watt amber LED module wired to 120 volts, painted white texture polyester powder coat.

CONSTRUCTION

Materials

All aluminum construction, stainless steel tamper resistant hardware, acrylic lens.

Electrical Components Constant current driver 350mA or 250mA, -30°C starting temperature.

MOUNTING

The 3100LED series is designed for wall mounting. The LED driver is integrally fixed to a mounting plate and designed to fit into a 4" octagon j-box (by others). The LED driver supplied with the fixture uses 4.5 cubic inches of J-Box volume. A suitable J-Box example is 15 cubic inch capacity lberville 54151 (not included). Optional surface wiring conduit feed canopy suitable for 1/2" conduit feed. Optional wall plate available to cover mounting surface, 6, 8 or 10" square. Maximum fixture weight 4 lbs.

OPTICAL

The 3100LED luminaire uses a precision molded lens to direct the light, either spot or flood distributions are available.

PROTECTION


The 3100LED series is listed for use in wet locations to UL and CSA Standards. L70 (minimum) >50,000 hours. IP65 rated.




Wildlife Lighting Certification Number 2018-040


^{*}Standard configuration unless otherwise specified 1Nominal LED Power 2Source lumens









Tessera 3100LED Turtle Friendly Wall Mount









Tessera Surface Canopy Option (For Use with 3100, 3101, 3103, 3121)

